

Global Foodservice Equipment Catalog

















Good Thinking®















Consistently providing thoughtful products, meaningful innovation, and long-lasting durability ...now that's GOOD THINKING®

Bever	age Prep	
4-5		908®/909 Blenders
6-7		Rio® Blenders
8-9		Tango® Blenders
10-11		Tempest® Blenders
12-13		Summit® Blenders
14-15	Revolutio	on® Ice Shaver/Blender
16-17		Drink Mixers
18-19	Wa	all-Mount Drink Mixer
20-21	Mix	'n Chill® Drink Mixers
		400

Food Prep

22-23	Immersion Blender
24-25	HBF500 / HBF500S Food Blender
26-27	Tournant™ Food Blender
28-29	Stand Mixer
30-31	Dishers
32-33	Juicers
34-35	Coffee Urns
36-37	Toasters
38-39	Glass Washers

Accessories

40-45 Accessories

Which BLENDER is RIGHT for YOU



Application	Frozen Drinks				
Ice	Small or Crushed Ice				
Typical Drinks / Day	1 to 15		15 to 25		
Average Time	25 Seconds		20 Seconds		
Power	1/2 Peak Hp†		3/4 Peak Hp [†]		
Jar Capacity	44 oz / 1.25 L Polycarbonate	32 oz / .95 L Stainless Steel	44 oz / 1.25 L Polycarbonate	32 oz / .95 L Stainless Steel	
Durability	Rubber Clutch				
Durability	Jai		Jar Pad Sensor		
			High / Low / Pulse Switch		
Good Thinking™ Features					

Warranty 1 Year 2 Years



Good Thinking

† Peak power is Input Power

SetTheTime & Walk Away	Powerful Workhorse	Quiet & Customized	Highest Volume			
TANGO®	TEMPEST®	SUMMIT ® with Auto Blend	REVOLUTION® Shaver Blender			
HBH450 Series	HBH650 Series	HBH850 Series	HBS1200 Series HBS1400 (230V) (120V)			
Smoothies and Frozen Drinks						
	Half o	or Full Cube Ice				
20 to 50	50+	75+	100+			
15 Seconds	12 Seconds	12 Seconds	15 Seconds			
1 Hp	3 Hp	3 Hp	3 Hp			
48 oz / 1.4 L Polycarbonate	64 oz / 1.8 L Polycarbonate					
Metal	l Clutch	Metal Clutch Quiet Shield Sensor (230V Only)	Metal Clutch			
(230V Only)	Jar Pad Sensor	Jar Pad Sensor (120V Only)	Hopper Lid/Drain Sensor			
Wave Act	tion System™ and Stackable	Jars				
	Timer / Auto-S	Shutoff / Pulse Switch	•			
	Jump Cycle	Auto Blend	Unique Ice Portion System			
Converts to		o In-Counter	Double Wall Insulated Hopper			
		Cycle Blending				
		USB Port	Memory Card			
2 years or 15K Cycles*	2 years or 20K Cycles*		2 years or 25K Cycles*			



Express Care Warranty



HBB908® Series/HBB909 **Blenders**

AVAILABILITY:

AVAILABILITY:

HBB908®





HBB909





UNIQUE FEATURES

908[®] Blender

25 Second Margarita - When thirsty customers are waiting, you can blend 16 oz./0.5 L drinks in 25 seconds flat.

Two Speeds - Offer versatility and precision blending for a wide variety of food and drink mixtures.

Durable Stainless Steel Blades - Four stainless steel blades are made to last and get the job done fast.

44 oz./1.25 L Container - Break-resistant polycarbonate container with filler-cap and easy-to-read measurement marks makes filling and pouring easy.

Specifications:

Standard: Unit comes with base, 44 oz./1.25 L polycarbonate container with filler cap, Sure Grip™ feet, and blade assembly unit.

Controls: High/Low Motor: 1/2 peak Hp* Weight: 7.25 lbs/3.28 kg Warranty: 1 year parts & labor



120V Specifications: 120V~, 60 HZ, 3.5A



230V Specifications:

HBB908-CE HBB908-UK HBB908-CCC

ROHS COMPLIANT

220-240V~, 50-60 HZ, 400W

909 Blender

25 Second Margarita - When thirsty customers are waiting, you can blend 16 oz. drinks in 25 seconds flat.

Two Speeds - Offer versatility and precision blending for a wide variety of food and drink

Durable Stainless Steel Blades -

Four stainless steel blades are made to last and get the job done fast.

32 oz. Stainless Steel Container Durable stainless steel offers long-lasting performance.

Specifications:

Standard: Unit comes with base, 32oz. stainless steel container with filler cap, Sure Grip[™] feet, and blade assembly unit.

Controls: High/Low Motor: 1/2 peak Hp* Weight: 7.51 lbs

Warranty: 1 year parts & labor



120V Specifications:

120V~, 60 HZ, 3.5A








Sure Grip[™] feet hold blender securely in place



Stainless steel blades quickly cut through ice and other ingredients



Removable filler-cap lets you add ingredients while blending



HBB250 / HBB250S Series **Bar Blenders**

AVAILABILITY:

AVAILABILITY:

HBB250

120V 230V

HBB250S

120V
230V

UNIQUE FEATURES

Rio® Blenders

Wave~Action® System - Ordinary blenders spin contents around the walls of the jar, which can leave whole chunks untouched by the blades. The Wave~Action® System has a unique container and blade design for smooth results every time.

20 Second Margarita - When thirsty customers are waiting, you can blend 16 oz./0.5 L drinks in 20 seconds flat.

Two Speeds with Pulse Option - Offers versatility and precision blending for a wide variety of food and drink mixtures.

Durable Stainless Steel Blades - Four stainless steel blades are made to last and get the iob done fast.

Jar Pad Sensor - Turns off motor when container is not in place to reduce clutch grinding (230V only).

Specifications:

Standard: Unit comes with base, container, Sure Grip™ feet, and blade assembly. Controls: High/Low/ Pulse option Motor: 3/4 peak Hp*

Warranty: 2 year parts & labor

* Input power

HBB250 Series

44 oz./1.25 L Stackable Container

Break-resistant polycarbonate container with easy-to-read measurement marks is stackable for storage.



Weight: 9.7 lbs/4.4 kg (shipping)

120V Specifications: HBB250R



120V~, 60 HZ, 4A

230V Specifications: HBB250-CE

HBB250-UK

HBB250-CCC 220-240V~, 50-60 HZ, 450W

ROHS COMPLIANT

230V Specifications:

ROHS COMPLIANT

220-240V~, 50-60 HZ, 450W

HBB250S Series

32 oz./0.95 L Stainless Steel Container Durable stainless steel offers long-lasting performance.



Weight: 10 lbs/4.5 kg (shipping)

HBB250SR

HBB250S-CE HBB250S-UK

HBB250S-CCC

120V Specifications:







mixing blades quickly cut through ice and other ingredients




Wave~Action® system continually forces mixture down into the blades for smooth results





Four stainless steel cutting and



HBH450 Series Tango® Bar Blender

AVAILABILITY:

HBH450





UNIQUE FEATURES

Tango® Blender

Wave~Action® System - Ordinary blenders spin contents around the walls of the jar, which can leave whole chunks untouched by the blades. The Wave~Action® System has a unique container and blade design for smooth results every time.

15 Second Margarita - When thirsty customers are waiting, you can blend 16 oz./0.5 L drinks in 15 seconds flat.

Timer & Two Speeds with Pulse Option - The timer is indispensible for busy bars. Two speeds offer precision blending for a wide variety of mixtures.

Durable Stainless Steel Blades - Four stainless steel blades are made to last and get the job done fast.

48 oz./1.4 L Stackable Container - Break-resistant polycarbonate container with easy-to-read measurement marks is stackable for storage.

Specifications:

Standard: Unit comes with base, 48 oz./1.4 L polycarbonate container, Sure Grip™ feet, and blade assembly unit.



120V Specifications: HBH450R

120V~, 60 HZ, 6 A





230V Specifications:

HBH450-CE HBH450-UK HBH450-CCC C ∈ Rohs compliant



220-240V~, 50-60 HZ, 600W





Timer with automatic shutoff offers precision blending control for every kind of drink





Wave~Action® system continually forces mixture down into the blades for smooth results




Four stainless steel cutting and mixing blades quickly cut through ice and other ingredients



Stackable polycarbonate jar stores in less space



All-metal drive coupling offers long-lasting performance



HBH650 Series

Tempest®

High-Performance Blender



HBH650





UNIQUE FEATURES

Tempest® Blender

Wave~Action® System - Ordinary blenders spin contents around the walls of the jar, which can leave whole chunks untouched by the blades. The Wave~Action® System has a unique container and blade system for smooth results every time.

12 Second Margarita - When thirsty customers are waiting, you can blend 16 oz./0.5 L drinks in 12 seconds flat.

Super-Creamy Drink Profile - The Wave~Action® System, along with speed and blade design, break down ice from a granita texture to a creamy drink profile.

Two Speeds, Jump Cycle & Pulse Button - Offers precision blending for a wide variety of drink mixtures.

Timer with Automatic Shutoff - Indispensible for busy bars, it frees operators up for other tasks.

3 Hp Motor - Built with a durable all-metal drive coupling to satisfy the demands of the busiest bars.

64 oz./1.8 L Stackable Container - Break-resistant polycarbonate container with easy-to-read measurement marks.

Specifications:

Standard: Unit comes with base, 64 oz./1.8 L polycarbonate container, Sure Grip™ feet, and blade assembly unit

Controls: 2 speeds, jump cycle & timer

Motor: 3 Hp

Weight: 13.9 lbs/6.3 kg (shipping) Warranty: 2 years parts and labor

or 20,000 cycles



120V Specifications:

230V Specifications:

HBH650

HBH650-CE

120V~, 60 HZ, 6 A









HBH650-UK HBH650-CCC 220-240V~, 50-60 HZ, 880W



Blinking red light indicates when container is not in place. Motor turns off to prevent careless clutch grinding.



WAVE-ACTIONS SYSTEM

Wave~Action® system continually forces mixture down into the blades for smooth results



Accessory CK650 allows the Tempest to be mounted in the counter for reduced noise levels and a lower profile



Temperature gauge alerts operator if motor overheats to help prevent unnecessary burnout. NOTE: Operation manual shows operators step by step how to run the cool-down cycle



Two speeds, jump cycle, pulse button, and timer with automatic shutoff for maximum drink versatility



HBH850 Series

Summit®

High-Performance Blender



AVAILABILITY:

HBH850

120V 230V

UNIQUE FEATURES

Summit® Blender

Auto Blend "One Touch Sensor Blending" - Patent-pending technology continuously monitors blender's power usage and speed to determine when the perfect drink consistency is achieved.

Hundreds of Pre-Programmed Cycles - Reduces the need to select different cycles for different drinks to free up decision-making time.

Quiet Shield™ - Sound enclosure reduces blender noise

Super-Creamy Drink Profile - The Wave~Action® System, along with speed and blade design, break down ice from a granita texture to a creamy drink profile.

Cavitation Control - Detects when cavitation occurs and prompts the operator to add more liquid. Keeps the operator from spending time watching the blender and from serving a bad drink.

Airflow Baffle - Constantly circulates cool air around the motor for backto-back blending and longer blender life.

Jar Pad Sensor - Turns off motor when container is not in place to reduce grinding and "wear and tear" from misuse. (120V only)

Quiet Shield™ Sensor - turns off motor when operator lifts quiet shield (230V only).

Specifications:

Standard: Unit comes with base, one 64 oz./1.8 L stackable polycarbonate container, sealing gasket, Quiet Shield™

sound enclosure, and 3-wire grounded cord and plug

Controls: Touchpad

Motor: 3 Hp

Weight: 23.32 lbs / 10.57 kg (shipping)

Warranty: 2 years or 20,000 cycles







120V Specifications: **HBH850**

120V~, 60 HZ, 13 A



220-240V~, 50-60 HZ, 880W



10.5'

26.7 cm

230V Specifications:

HBH850-CE HBH850-UK HBH850-CCC **ROHS COMPLIANT**







Auto Blend stops blender when drinks reach the perfect consistency





Dual fans automatically keep motor cool in-between blends



Unique airflow baffle keeps motor cool and prevents water ingress



USB Port for future program updates



Converts for in-counter use



HBS1400/1200 Series

Revolution®

Ice-Shaver / Blender

AVAILABILITY:

HBS1400/HBS1200





UNIQUE FEATURES

Revolution® Ice Shaver/Blender

Revolution® Portion System - For maximum accuracy, this unique ice portioning system counts the number of times the agitator passes the shaver blade. Regardless of the motor load, the correct amount of ice comes out every time!

Systems that calculate portions by time or weight may not be delivering consistent drink quality to your customers. Time systems don't reliably shave the right amount of ice because the motor speed will vary with the load (the motor may spin more slowly when the ice hopper is full). Systems that rely on just the weight of ice can be inaccurate during blending because of container movement. The Revolution® Portion System eliminates these concerns, delivering the right amount of ice every time.

Double-Wall Hopper - Insulated for guiet operation and to keep

Sensor Technology - Hopper sensor prevents operation when lid is not in place. Drain sensor indicates if water is backed up in the drain. This alerts the operator to check the drain line and can prevent a messy water back-up.

3 Hp Blender Motor - Powerful, heavy-duty, and built to satisfy the demands of the busiest bars.

Automatic Cycle Buttons - Operators select serving size and number of servings for precise results.

Specifications:

Standard: Unit comes with base, ice chute, 2 piece hopper with lid (5 gallon/19 L) 64 oz./1.8 L polycarbonate container, and leveling feet


Controls: Touchpad

Motors: 3 Hp blender. 1/4 Hp shaver

Weight: 71 lbs / 32.2 kg

Warranty: 2 years parts and labor or 25,000 cycles





HBS1400

120V Specifications: 120V~, 60 HZ, 15 A **C**(**VL**)





HBS1200 230V Specifications: **C E ROHS COMPLIANT**

HBS1200-CE HBS1200-UK HBS1200-CCC




220-240V~, 50-60 HZ, 1,000W





Long-lasting clutch seal shields the internal parts from moisture










The Wave~Action® system continually forces mixture down into the blades for smooth results every time



A press of the automatic cycle buttons sets the right serving size and number of servings



Comes with a stackable 64 oz./1.8 L polycarbonate container with measurement marks (6126-650)



HMD200 / HMD400 Series

Drink Mixers

Single & Triple Spindle

AVAILABILITY: **120V 230V**

HMD400

AVAILABILITY:

120V 23<u>0V</u>

UNIQUE FEATURES

Single Spindle Mixer

Versatile Drink and Food Prep - Great for everything from mixing ice cream shakes to "flashing" bar drinks to blending eggs, pancake, and waffle batter.

Performance - More powerful 1/3 Hp motor mixes up to twice as fast, so customers don't have to wait.

Precision Motor - The motor is balanced to minimize vibration. Built to last with sealed, permanently lubricated ball bearings.

Two-Way Motor Activation - Operators can start and stop mixing action by inserting the cup into the cup guide, or by using the pulse switch on the top of the mixer (pulse is 120V only).

Specifications:

HMD200

Standard: Unit comes with base, motor, spindle, solid agitator, and stainless steel

Controls: 3-speed rocker switch and unique

pulse switch (120V only)

Motor: 1/3 Hp

Weight: 15.4 lbs / 7.0 kg Warranty: 1 year parts & labor



120V Specifications:

120V~, 60 HZ, 300W





230V Specifications:

HMD200-CE HMD200-UK HMD200-CCC

ROHS COMPLIANT



220-240V~, 50-60 HZ, 300W

Triple Spindle Mixer

Optimum Output - The ideal choice for high-volume milkshake prep.

Performance - 1/3 Hp motors mix up to twice as fast, to maximize service and minimize the wait.

3 Separate Motors - Each motor works independently and has its own power switch.

Precision Motors - Each motor is individually balanced to minimize vibration. All three motors are built to last with sealed, permanently lubricated ball

Two-Way Motor Activation - Operators can start and stop mixing action by inserting the cup into the cup guide, or by using the pulse switch on the top of the mixer (pulse is 120V only).

Specifications:

Standard: Unit comes with base, 3 motors, 3 spindles, 3 solid agitators, and 3 stainless steel cups.

Controls: 3-speed rocker switch and unique pulse switches (120V only)

Motors: 1/3 Hp on each motor Weight: 37 lbs / 16.783 kg Warranty: 1 year parts & labor



120V Specifications:

120V~, 60 HZ, 900W





230V Specifications:

HMD400-CE HMD400-UK HMD400-CCC

ROHS COMPLIANT



220-240V~, 50-60 HZ, 900W



3 speed switch plus unique fingertip-action pulse switch that stops and starts the motor (pulse is 120V only)



Operator can easily replace motor in minutes



Removable cup guide pulls out for easy dishwasher cleanup



HMD300 Series Wall Mount

Drink Mixer

AVAILABILITY:

HMD300





UNIQUE FEATURES



With two-way motor activation, operators can start and stop mixing action by inserting the cup into the cup guide, or by using the pulse switch on the top of the mixer.

Speed switch offers flexibility for







Removable cup guide pulls out for easy dishwasher clean-up.

Wall-Mount Single Spindle Mixer

Powerful 1/3 Hp Motor - Built to last with permanently sealed ball bearings. Can be replaced by operator to avoid downtime.

Easy Wall Mount - All hardware included. Plugs into standard outlet.

Two-Way Motor Activation - Operators can start and stop mixing action by inserting the cup into the cup guide, or by using the pulse switch on the top of the mixer.

Speed Switch - Offers flexibility for different menu items.

Easy To Clean - Removable cup guide and cup rest.

Built To Last - Heavy-duty, die cast, stainless steel construction.

Versatile Drink and Food Prep - Great for everything from mixing ice cream shakes to "flashing" bar drinks to blending eggs, pancake, and waffle batter.

Specifications:

Standard: Unit comes with base, all mounting hardware, spindle with

990043600 agitator and stainless-steel cup Controls: On/off pulse switch; High/Low switch

Motor: 1/3 Hp

Weight: 10.5 lbs / 4.76 kg Warranty: 1 years parts & labor

120V/230V



120V Specifications:

HMD300



230V Specifications: HMD300-CE

HMD300-UK

ROHS COMPLIANT



HMD300M-220 **MACHINE-MOUNT MIXER** ALSO AVAILABLE

See website for details



HMD900 Series Mix 'n Chill®

Drink Mixer

AVAILABILITY:

HMD900





UNIQUE FEATURES



Stainless steel pan is easily removed ftor easy cleanup



Smart Start™
A simple press of the mixing shaft starts the motor



929 agitator maximizes mixing performance for hard- and softserve ice cream and is especially good for candy mix-ins

See page 45 for additional agitator choices

Mix 'n Chill®

One-Hand Activation - To start the motor, put the filled cup under the mixing shaft and push.

Performance - 3/4 Hp motor provides heavy-duty mixing action.

Easy To Clean - Stainless steel pan removes easily without the use of tools and is dishwasher safe.

Consistent Results - Preprogrammed cycles deliver consistent mixing results regardless of the operator.

User Friendly - Contoured splash shield reduces discomfort on the operator's wrist and easily removes for cleaning.

Dependability - Ice cream companies and restaurateurs worldwide consider this drink mixer the standard because of its dependable performance.

Specifications:

Standard: Unit comes with base, spindle with 929 agitator, splash shield, and removable stainless steel pan

Controls: On/off rocker switch; rotary dial with variable speed selections

and pre-programmed cycles

Motor: 3/4 Hp

Weight: 33.6 lbs / 15.2 kg Warranty: 1 years parts & labor

120V



120V Specifications:

HMD900







120V~, 60 HZ, 6.4A

230V



230V Specifications: HMD900-CE

HMD900-CCC



220-240V~, 50-60 HZ, 7A

*Meets IPX3 moisture protection with added hood



HMI200 Series Immersion Blender **Heavy Duty**

AVAILABILITY:

HMI200



120V 230V

UNIQUE FEATURES

Immersion Blender

Heavy Duty - Long-life motor construction and stainless steel chopping attachment designed for foodservice applications.

Flexibility - Detachable chopping attachment plus two speeds give professional kitchens the flexibility they need to purée soups and sauces right in the pan, whip egg whites, cream butters & mix batters with ease.

Stainless Steel 9"/23 cm Shaft - Not only does the thick 9"/23 cm shaft reach into deep pots and bowls, it detaches for easy cleaning.

Innovative Blade Guard - Keeps prep areas neat and saves time by reducing messy splashing and clogging.

Double-Insulated - With two-conductor cord for easier use and storage.

Specifications:

Standard: Motor unit, detachable 9"/23 cm chopping

shaft and cutting blades Controls: 2-speed switch Motor: 175 Watts Weight: 4.2 lbs / 1.9 kg Warranty: 1 year parts & labor 17.5" 45.5 cm 3"/7.6 cm

120V Specifications:





120V~, 60 HZ, 175W

230V Specifications:

HMI200-CE HMI200-UK HMI200-CCC







220-240V~, 50-60 HZ, 175W



Blade guard reduces splashing and allows mix to pass through without clogging



Built-in storage hook for easy hanging and storage on wire racks



Chopping attachment detaches easily for dishwasher cleanup and is autoclavable for quick sterilization



Four blades with five cutting edges quickly cut through ingredients for professional results every time

The Perfect Choice For **Healthcare Applications**

Another "First" by HBC - The HMI 200 Immersion Blender by Hamilton Beach Commercial is the first product of its kind that can be quickly sterilized in an autoclave.



HBF500 / HBF500S Series

Food Blender®



AVAILABILITY:

AVAILABILITY:

HBF500

120V
230V

HBF500S

120V
230V

UNIQUE FEATURES



Patented container and blade design keeps ingredients circulating through the blades to ensure that contents are well-emulsified



Food Blender

Variable Speed & Pulse Functions - for blending, pureeing, grinding, chopping, and emulsifying

Chop Function - cycles between low speed and operator-selected high speed

1 Hp Motor - has the torque needed for chopping ingredients

Patented Wave~Action® System - keeps ingredients circulating through the blades to ensure that contents are well-emulsified

All-Metal Drive Coupling - Built to last

Large Dosing Cup - Makes adding liquid for emulsions easy while blending

Stainless Steel Blades - Quickly cut through ingredients

Jar Pad Sensor - Turns off motor when container is not in place (230V Only)

Stackable 48 oz. (1.4 L) **Polycarbonate Container**

64 oz. (1.8 L) Stainless Steel Container with Comfortable, Easy-Grip Handle


HBF500 Series

Standard: unit comes with base, one polycarbonate container, dosing cup, lid.

Controls: Toggle switches, var. speed

Motors: 1 Hp

Weight: 11.3 lbs / 5.1 kg Warranty: 1 year parts & labor



120V Specifications:

120V~, 60 HZ, 6 A







230V Specifications:

HBF500-CE HBF500-UK HBF500-CCC

ROHS COMPLIANT



220-240V~, 50-60 HZ, 600W

HBF500S Series

Standard: unit comes with base, stainless steel container, dosing cup,

Controls: Toggle switches, var. speed

Motors: 1 Hp

Weight: 12.5 lbs / 5.9 kg Warranty: 1 year parts & labor



120V Specifications:

120V~, 60 HZ, 6 A









HBF500S-CE HBF500S-UK

ROHS COMPLIANT HBF500S-CCC

220-240V~, 50-60 HZ, 600W



1 Gallon/ 3.78 L Food Blender Also Available See website for details



HBF600 / HBF600S Series

lournant

Food Blender

AVAILABILITY:

AVAILABILITY:

HBF600

120V
230V

HBF600S

120V
230V

UNIQUE FEATURES

Food Blender

3 Hp Motor - has the torque needed for chopping ingredients

Large Dosing Cup - Makes adding liquid for emulsions easy while blending

Patented Wave~Action® System - keeps ingredients circulating through the blades to ensure that contents are well-emulsified

Stainless Steel Blades - Quickly cut through ingredients

All-Metal Drive Coupling - Built to last

Chop Function - Cycles between low speed and operator-selected high speed

Variable Speed and Pulse Functions - For blending, pureeing, grinding, chopping, and emulsifying

HBF600S Series

Stackable 64 oz. (1.8 L) **Polycarbonate Container**

Standard: unit comes with base, one polycarbonate container, dosing cup, lid.

Controls: Touchpad Motors: 3 Hp

HBF600 Series

Weight: 14 lbs / 6.4 kg

Warranty: 2 year parts & labor



120V Specifications:

120V~, 60 HZ, 13 A



230V Specifications:

HBF600-CE HBF600-UK HBF600-CCC

ROHS COMPLIANT



220-240V~, 50-60 HZ, 750W

64 oz. (1.8 L) Stainless Steel Container with Comfortable, Easy-Grip Handle

Standard: unit comes with base, stainless steel container, dosing cup,

Controls: Touchpad Motors: 3 Hp

Weight: 14.21 lbs / 6.5 kg Warranty: 2 year parts & labor



120V Specifications:

120V~, 60 HZ, 13 A



230V Specifications:

HBF600S-CE HBF600S-UK HBF600S-CCC

ROHS COMPLIANT

220-240V~, 50-60 HZ, 750W



Patented Jar Pad Sensor

4 magnetic connections prevent blending unless container is on correctly




One-Touch Chopping Function cycles between low speed and operator-selected high speed



Temperature Gauge

alerts operator if motor overheats while blending back-to-back batches

27



CPM700

Stand Mixer

7 Quart

AVAILABILITY:

CPM700





120V 230V



UNIQUE FEATURES



Heavy-duty attachments made of stainless steel for durability



Pop-up head lifts for easy access and allows for full bowl to be removed by its handles

7 Quart Stand Mixer

Made To Perform - Large 7 quart/6.6 liter capacity handles the professional demands of large establishments. Rotating mixing action provides complete bowl coverage. Flat beater is angled to cover the whole bowl; whisk is balloon-shaped for maximum aeration; dough hook is strong enough to knead the heaviest breads.

Easy To Operate - The pop-up head lifts for quick and easy attachment changes and bowl removal. This eliminates the need to put your hand in the mixture to change attachments or remove the bowl. Also, the tilt-back head makes adding ingredients or scraping the sides of the bowl much easier.

Full of Safeguards - "On" button is recessed to reduce likelihood of the mixer being accidentally activated. Specially designed safety cutoff stops the mixer immediately anytime the head is raised. The motor features overload protection to help prevent overheating.

Specifications:

Standard: Unit comes with base, 7 guart/6.6 L stainless steel bowl, spatula, flat beater, whisk, and dough hook

Controls: Start & stop switches and rotary speed control dial

Motor: 800 W

Weight: 23 lbs / 10.43 kg Warranty: 2 years parts & labor





120V Specifications: 120V~, 60 HZ, 6.7 A






Why Buy A Hamilton Beach Commercial Stand Mixer?

DURABILITY - All-metal gears vary speed and torque for superb durability

PERFORMANCE - Variable speed motor powers through the toughest loads at constant velocity

EASE OF USE - Tilt-back head makes adding ingredients, scraping sides, changing attachments, and removing bowl easy

SAFETY - Specially designed safety cut-off feature instantly stops mixer when head is raised



78/80 Series

Dishers

Heavy-Duty



78 80

Dishers

Heavy-Duty Stainless Steel - The bowl, thumb lever, and spring are made of stainless steel for long life and easy cleanup in the dishwasher.

Heavy-Duty Spring Action - The heavy-duty stainless steel spring allows for ease of operation and long-lasting durability.

Color-Coded Handles - Designed for instant identification and improved service, the color-coded handles let you streamline your foodservice operation. Bright, identifiable colors help maintain portion control, and make disher size selection quick and easy.

Specifications:

Warranty: 1 year parts & labor





Deluxe Dishers

80 dishers have all the features of the 78 line plus these extras:

Pan Rest™ Feature - These convenient notches let dishers rest on the edge of pans to help prevent slippage that could slow down service.

Ergonomic Grip - Handles are shaped for a comfortable grip that helps reduce hand and arm fatigue.

Imprinted Capacity - With the capacity clearly molded onto each handle, there's never a question which size disher is being used.

Specifications:

Warranty: 2 year parts & labor







UNIQUE FEATURES

Pan Rest[™] feature on handle





easy-to-identify packaging



932/96700 Series

Citrus Juicers

Manual or Motorized

AVAILABILITY:

96700





Manual Citrus Juicer

932

Dependability - Considered the standard worldwide because of its hard-working, dependable performance and classic looks.

Flexibility - Designed to extract pure citrus juice from lemons, limes, oranges, and grapefruit.

Maximum Juice Extraction - The extractor arm exerts up to 2,000 lbs. of force to ensure maximum juice output with minimum skin oil and pulp residue.

Strainer Cone and Funnel - Remove for easy cleaning.

Acid-Resistant Finish - The metal components, as well as the enamel finish, resist wear and tear from exposure to citrus acids.

Specifications:

Standard: Unit comes with base, strainer cone, funnel, swing-out juice collector cup, and Sure Grip[™] feet

Weight: 13.2 lbs / 6 kg

Warranty: 1 year parts & labor



Electric Citrus Juicer

3 Reinforced Reamers - Small for lemons and limes, medium for oranges, and large for grapefruits. Each reamer has a stainless steel insert for durability.

Quiet Motor - With its exceptionally quiet motor, the 96700 is a welcome addition to any establishment.

Extra-Tall Spout - Juice spout is a full 8.5"/ 21.6 cm from the counter to allow juicing into a variety of containers.

Low Center of Gravity - Makes the juicer less prone to tip over.

Durability - Heavy-duty metal housing, durable strainer, and reamers.

Specifications:

Standard: Unit comes with extra-large stainless steel bowl, acid-resistant cast aluminum base, ABS plastic strainer, and 3 reamer sizes

Controls: On/off push-button switch

Weight: 30 lbs / 13.6 kg Warranty: 2 year parts & labor



120V Specifications:

120V~, 60 HZ, 3A

1G96700

1G96700-UK

230V Specifications:

ROHS COMPLIANT

220-240V~, 50-60 HZ, 250W




Model 932 is built with heavyduty gears for years of durability



932's juice collector cup swings out for easy access



96700's includes 3 stainless steel reinforced reamers: 1 for lemons & limes, 1 for oranges, and 1 for grapefruit



HCU045S / HCU065S / HCU110S

Brewstation® Urns

with Removable Tank



AVAILABILITY:

HCU045 / HCU065 / HCU110





UNIQUE FEATURES



Dual heater system center heater brews coffee, then shuts off. Gentle warming heater keeps coffee at a constant serving temperature without overcooking it.





One-hand dispensing fills cups fast to shorten the wait

26.25"

19"

OVERALL HEIGHT

Brewstation® Urns

One-hand dispensing - fills cups fast for superior service

Removable Tank - for fast, easy filling and cleanup

Dual heater system - maintains coffee's optimal temperature for better-tasting coffee

Speed brewing - for fast, fresh-tasting coffee with less waste

Fold Up/Down Handles - for easy carrying and compact storage

Decaf Indicator - tells guests when decaf is being served

Heavy-Duty Locking Clips - securely lock tank onto base

Corrosion-free stainless steel construction - cleans up fast and easy

45 Cup

HCU045S

Specifications:

Standard: Removable lid tank, Brewstation® base, drip tray Controls: On/off switch

Electrical: 120 V, 60 Hz Weight: 12.6 lbs / 5.7 kg Warranty: 1 year parts/labor





65 Cup

HCU065S

Specifications:

Standard: Removable lid tank, Brewstation® base, drip tray Controls: On/off switch

Electrical: 120 V, 60 Hz Weight: 13.2 lbs / 6.0 kg Warranty: 1 year parts/labor











110 Cup

HCU110S

Specifications:

Standard: Removable lid tank,

Brewstation® base, drip tray

Controls: On/off switch

Electrical: 120 V, 60 Hz

Weight: 14.2 lbs / 6.4 kg

Warranty: 1 year parts/labor





12.25"








Removable tank for fast and easy clean up.

12.25^u

12.25"-



HTS450 / HTS455

Toasters

Heavy-Duty

AVAILABILITY:

AVAILABILITY:

HTS450



HTS455





UNIQUE FEATURES

Heavy-Duty 120V Toaster

Fast, Excellent Results - Ceramic elements heat evenly and quickly for a toasting output of 400 slices an hour. Bread guides center bread and hold it upright for even toasting.

Bread/Bagel Flexibility - Bread-to-bagel switch lets operators choose their preferred setting for maximum toasting flexibility and convenience.

Reliability - To reduce wear and tear, this heavy-duty toaster is equipped with a magnetbased bread lifter with fewer moving parts.

Safety Features - Unlike traditional open coil elements, heaters are lined with ceramic for damage resistance and long life. Toaster shuts off automatically, even if toast is jammed.

Solid-State Temperature Sensor -

Automatically adjusts toast time for consistent toasting results.

Specifications:

Standard: Unit comes with toaster and heavy-duty removable crumb tray

Controls: 2 bread/bagel switches, 2 browning control dials, 2 cancel buttons

Slot Width/Depth: 1.3 inches/5.4 inches

Weight: 21 lbs / 9.53 kg Warranty: 1 year parts & labor



120V Specifications:





120V~, 60 HZ, 2200W

Heavy-Duty 208/240V Toaster

Fast, Excellent Results - Ceramic elements heat evenly and quickly for a toasting output of 480 slices an hour. Bread guides center bread and hold it upright for even toasting.

Bread/Bagel Flexibility - Bread-to-bagel switch lets operators choose their preferred setting for maximum toasting flexibility and convenience.

Reliability - To reduce wear and tear, this heavy-duty toaster is equipped with a magnetbased bread lifter with fewer moving parts.

Safety Features - Unlike traditional open coil elements, heaters are lined with ceramic for damage resistance and long life. Toaster shuts off automatically, even if toast is jammed.

Solid-State Temperature Sensor -

Automatically adjusts toast time for consistent toasting results.

Specifications:

Standard: Unit comes with toaster and heavy-duty removable crumb tray

Controls: 2 bread/bagel switches, 2 browning control dials, 2 cancel buttons

Slot Width/Depth: 1.3 inches/5.4 inches

Weight: 21 lbs / 9.53 kg

Warranty: 1 year parts & labor



208/240V Specifications:



Intertek

208/240V~, 50-60 HZ, 2600W



Cancel button lets operators stop the toasting cycle anytime



Bagel/Bun switch toasts the cut side and warms the other



Ceramic plates radiate the heat across the bagel or bread slice for uniform toasting every time



97500/97510

Glass Washers

Upright and Submersible

AVAILABILITY:

120V
230V

AVAILABILITY:

120V 230V



UNIQUE FEATURES

Upright Glass Washer

97500

Upright - Features a quiet, totally enclosed motor. Upright design easily fits any sink, needs no special plumbing, and is portable.

High Performance - Five automatic brush washers quickly and effectively remove all kinds of soil, including dried juice pulp and even lipstick.

Unique Brush System - Four standard-size brushes and one 8" center brush tackle tough cleaning jobs. Taller center brush cleans tall glasses better and ensures that all outside edges are cleaned.

Safety Features - Ground fault circuit interrupter plug and Sure Grip[™] feet for added safety

Durability - Self-lubricating, non-corrosive bearings offer reliable, long-lasting performance.

Specifications:

Standard: Unit comes with base, 4 standardsize brushes, one 8"/20 cm center brush, and Sure Grip[™] feet

Controls: On/off switch

Motor: 1/3 Hp

Electrical: 120 V, 60 Hz, 250W

Weight: 26 lbs



120V Specifications:





120V~, 60 HZ, 250W

Submersible Glass Washer

97510

Submersible - Features an enclosed, quiet, submersible motor. Maintains warm water temperatures for high-performance cleaning. The submersible glass washer saves space, fits any sink, and needs no special plumbing.

High Performance - Five automatic brush washers quickly and effectively remove all kinds of soil, including dried juice pulp and even lipstick.

Unique Brush System - Four standard-size black/white brushes and one 8" center white brush tackle the toughest cleaning jobs. The taller center brush cleans tall glasses better and ensures all outside edges are cleaned.

Safety Features - Ground fault circuit interrupter plug for added safety and Sure Grip™ feet.

Durability - Self-lubricating, non- corrosive bearings offer reliable, long-lasting performance.

Specifications:

Standard: Unit comes with base, 4 standard size brushes, one 8" center brush, and

Sure Grip[™] feet

Controls: On/off switch

Motor: 1/3 Hp

Electrical: 120 V, 60 Hz, 470W Weight: 22.4 lbs / 10.2 kg Warranty: 1 year parts & labor



120V Specifications:





120V~, 60 HZ, 470W



Heavy-duty Celcon®* gears stand up to years of washing



Brushes fit securely into slots for durable brush attachment — no tab to break off

Why Buy A Glass Washer?

- · Costs less than a cabinet or under-counter washer
- Very little maintenance
- More efficient and effective
- Fewer glasses may be needed
- Less glass breakage
- Bar is always tended
- * Celcon® is a registered trademark of the Celanese Corporation. 39



Accessories

6126-650 6126-650-OP

6126-600

6126-HBF600

6126-1200

Tempest®/Summit® 64 oz./1.8 L Polycarb. Container

6126-650 comes with complete cutting assembly and cover.

6126-650-OP has a non-removable single-bearing cutting assembly and cover. For models HBH650 Series, HBH850 Series, HBS1200 Series and HBS1400.

Specifications:

Shelf Carton: 7.37 x 7.37 x 10.35 in. 18.7 x 18.7 x 26 cm 3 lb. / 1.4 kg



Tempest®/Summit® 48 oz./1.4 L Polycarb. Container

With complete cutting assembly and cover. For models HBH650 Series and HBH850 Series.

Specifications:

Shelf Carton: 7.25 x 7.25 x 9.5 in. 18.4 x 18.4 x 24.1 cm 2.7 lb. / 1.2 kg



Tournant™ 64 oz./1.8 L Polycarbonate Container

With complete cutting assembly and dosing cup. For model HBF600 Series.

Specifications:

Shelf Carton: 7.25 x 7.25 x 10.25 in. 18.4 x 18.4 x 26.03 cm. 3.2 lbs / 1.451 kg



Revolution® 64 oz./1.8 L Polycarb. Container

With complete cutting assembly and cover. For model HBS1200.

Specifications:

Shelf Carton: 7.5 x 7.62 x 10.75 in. 19.1 x 19.4 x 27.3 cm. 3.4 lbs / 1.5 kg



6126-250 (120V) 6126-250-CE (230V)

Rio[®] 44 oz./1.25 L Polycarb. Container

With complete cutting assembly and cover. For model HBB250R and HBB250 Series.

Specifications:

Shelf Carton: 7.12 x 7.12 x 11 in. 18.1 x 18.1 x 27.9 cm. 2.4 lbs / 1.1 kg



6126-450-CÉ (230V) Tango®

6126-450 (120V)

48 oz./1.4 L Polycarb. Container

With complete cutting assembly and cover for model HBH450R and HBH450 Series.

Specifications:

Shelf Carton: 7.12 x 7.12 x 10.82 in. 18.1 x 18.1 x 27.5 cm. 2.9 lbs / 1.3 kg



6126-HBF500

48 oz./1.4 L Polycarbonate Container

With complete cutting assembly and dosing cup. For model HBF500 Series.

Specifications:

Shelf Carton: 7.25 x 7.25 x 10.25 in. 17.78 x 17.78 x 26.03 cm. 2.63 lbs / 1.19 kg



6126-800F

1 Gallon / 4 L Polycarbonate Container

For blender model HBF800.

Specifications:

Shelf Carton: 9.13 x 9.13 x 11.63 in. 23.2 x 23.2 x 29.5 cm. 3.55 lbs / 1.61 kg



6126-250S (120V) 6126-250S-CE (230V)

6126-400 (120V) 6126-400-CE (230V)

6126-990

6126-HBB909 (120V) 6126-HBB909-CE (230V)

Rio® 32 oz./.95 L Stainless Steel Container

With complete cutting assembly and cover. For model HBB250SR and HBB250 Series.

Specifications:

Shelf Carton: 4.75 x 4.75 x 10.5 in. 12.1 x 12.1 x 26 cm. 2.37 lbs / 1.1 kg



1/2 Gallon/2 L Stainless Steel Container

For model HBF400 and HBF500S Series.

Specifications:

Shelf Carton: 6.25 x 6.37 x 12.5 in. 15.9 x 16.2 x 31.8 cm 4.1 lb. / 1.9 kg



1 Gallon/4 L Stainless Steel Container Kit

With complete cutting assembly and cover. For model 990 and 990-220.

Specifications:

Shelf Carton: 10 x 12.62 x 15 in. 25.4 x 32 x 38.1 cm. 7.5 lbs / 3.4 kg



909 32 oz./.95 L Stainless Steel Container

With complete cutting assembly, cover, clutch, and collar. For model HBB908 Series and HBB909.

Specifications:

Shelf Carton: 4.5 x 4.5 x 9.5 in. 11.4 x 11.4 x 24.1 cm. 1.38 lbs / 0.62 kg



98908

6126-HBB908 (120V) 6126-HBB908-CE (230V)

908® 44 oz./1.25 L Polycarbonate Container

With complete cutting assembly and cover for HBB908 Series.

Specifications:

Shelf Carton: 5.25 x 5.25 x 8.37 in. 13.3 x 13.3 x 21.3 cm. 1.81 lbs / .82s kg



Quiet Shield® Sound Enclosure

QS850

Reduces sound during operation. Maintains low profile height even when

open. Fits HBH850 Series.

Specifications:

Shelf Carton: 10.12 x 10.12 x 12 in. 25.7 x 25.7 x 30.48 cm. 5.5 lbs / 2.5 kg



990036300 Rio® Replacement

Bushing & bearing, gasket, nut, container base gasket, cutter assembly, and two (2) clutches. For HBB250 and HBB250S Series.

Specifications:

Clutch

Shelf Carton: 7.75 x 7.81 x 11.25 in. 19.69 x 19.84 x 28.58 cm. 0.37 oz.



Complete cutting assembly, clutch, and gasket. For models 901, 908, 909, 910, 918, and 919.

Specifications:

Shelf Carton: 7.88 x 7.75 x 11.19 in. 20.02 x 20.01 x 28.42 cm. 3.841 lbs / 1.742 kg





Accessories

Revolution® Ice Shaver Blade Kit

Shaver blade assembly for HBS1200 Series and HBS1400.

SB1200

Specifications:

Shelf Carton: 4.81 x 4.31 x 3.62 in. 12.3 x 10.9 x 9.2 cm. 2.5 lbs / 1.1 kg



Container Base Ring

For model HBB908 Series.

99035900

Specifications:

Shelf Carton: 7.75 x 7.81 x 11.25 in. 19.69 x 19.84 x 28.58 cm. 5 lbs / 2.585 kg



98400

Revolution® Ice Shaver Cutter Assembly

Bushing & bearing, gasket, nut, container base gasket, cutter assembly, and (2) clutches. For model HBS1200.

981200

Specifications:

Shelf Carton: 8.12 x 5.62 x 3.5 in. 20.6 x 14.3 x 8.9 cm. 2.4 lbs / 1.15 kg



Tango[®] Blender Repair Kit

With complete cutting assembly, gasket, clutch, and retainer nut. For HBH450 Series.

98450

Specifications:

Shelf Carton: 6.75 x 4.75 x 3.63 in. 17.1 x 12.1 x 9.22 cm. 2.6 lbs. / 1.2 kg



98250

Rio® Blender

Repair Kit

Food Blender

With complete cutting assembly, clutch, gasket, and retainer nut. For models HBB250 and HBB250S Series.

Specifications:

Shelf Carton: 11.25 x 7.75 x 7.75 in. 28.57 x 19.68 x 19.68 cm. 5.23 lbs / 2.372 kg



Repair kit Bushing & bearing, gasket,

nut, container base gasket, cutter assembly, and two (2) clutches. For HBF400 and HBF500S Series.

Specifications:

Shelf Carton: 7 x 10.5 x 12 in. 17.8 x 26.7 x 30.5 cm. 7 lb. / 3 kg



Tempest®/Summit® Tournant®/Revolution® Repair Kit

98650

With complete cutting assembly, clutch, gasket, and retainer nut. For HBH650 Series, HBH850 Series, HBF600 Series and HBS1400.

Specifications:

Shelf Carton: 7.25 x 10.75 x 12.06 in. 18.42 x 27.31 x 30.63 cm. 7.50 lbs. / 3.402 kg



Tempest® In-Counter Kit

Allows models HBH650 Series or HBF600 Series to be mounted in-counter. Kit includes stainless steel bracket, gasket, hardware & counter cutting template.

CK650

Specifications:

Shelf Carton: 10.87 x 9.13 x 6.25 in. 27.94 x 27.94 x 27.86 cm. 5.9 lbs / 2.7 kg



WW700SS

CPM700 7 Quart Stand Mixer Wire Whisk

Used for combining thin mixtures such as eggs, cream, batter, mousses meringues, and souffles.

Specifications:

Shelf Carton: 7.75 x 5.75 x 6 in. 19.7 x 14.6 x 15.2 cm. 0.660 lbs / 0.299 kg



CPM700 7 Quart Stand Mixer Dough Hook

Used when kneading bread doughs and other thick doughs containing yeast.

DH700SS

Specifications:

Shelf Carton: 10.2 x 9.62 x 12.06 in. 25.9 x 24.43 x 30.63 cm. 0.44 lbs / 0.2 kg



CPM700 7 Quart Stand Mixer Beater

Used for making cakes, biscuits, pastries, icing, fillings, eclairs, cheesecakes, and mashed potatoes.

KB700SS

Specifications:

Shelf Carton: 20.12 x 15.62 x 9.12 in. 51.10 x 39.67 x 23.16 cm. 0.62 lbs / 0.281 kg



CPM700 7 Quart Stand Mixer Bowl

BW700

Durable stainless steel 7 quart bowl.

Specifications:

Shelf Carton: 9.5 x 9.63 x 9 in. 24.1 x 24.5 x 22.9 cm. 2.41 lbs / 1.09 kg



97030

8 1/2"

Brushes

glass washers.

Specifications:

Shelf Carton:

Replacement

Fits 97500 and 97510

3.25 x 12.38 x 9.31 in.

1.62 lbs / .075 kg

8.26 x 31.45 x 23.65 cm.

Brush Kit

Contains four 6-1/2" black and white brushes and one 8-1/2" white brush. Fits 97500 and 97510 glass washers.

97040

Specifications:

Shelf Carton: 3.19 x 9.63 x 12.5 in. 8.10 x 24.46 x 31.75 cm. 1.5 lbs / .685 kg



Immersion Mixer Chopping

HMIA200B

For mixing, chopping & pureeing soups, sauces, batters & dressings in bowls or in the pan. Autoclavable for quick sterilization.

Specifications:

Attachment

Shelf Carton: 12 x 12 x 3.5 in. 30.5 x 30.5 x 8.9 cm. 1 lb / .45 kg



Foot Pedal

Can be used with Mix 'n Chill® models 94950 and HMD900 for hands-free control of mixer.

96000

Specifications:

Shelf Carton: 7.5 x 6.25 x 3.5 in. 19.05 x 15.86 x 8.89 cm. 2.00 lbs / 0.907 kg





Accessories

928 929 930 110E Stainless Steel **Plastic Cone Stainless Steel** Universal **Agitator Agitator Agitator Stainless Steel** Container Gently mixes pre-ground For easy mixing of hard For faster mixing of hard 32 oz./.95 L stainless steel candies, cookies, and fruit ice cream shakes or mix-ins. ice cream shakes or mix-ins. container for all drink mixers by flavors into milkshakes. For For model 94950, HMD900, For model 94950 and models 94950, HMD200, Hamilton Beach Commercial. HMD200 and HMD400. HMD900. HMD400 and HMD900. Specifications: Specifications: Specifications: Specifications: Shelf Carton: Shelf Carton: Shelf Carton: Shelf Carton: 7.25 x 10.75 x 12.06 in. 5.75 x 3.75 x 1in. 1.5 x 1.8 x 1.8 in. 1.8 x 1.8 x 1.5 in. 18.42 x 27.31 x 30.63 cm. 14.6 x 9.5 x 2.5 cm. 4.6 x 4.6 x 3.8 cm. 4.6 x 4.6 x 3.8 cm. 0.65 lb. / 0.2 kg 7.50 lbs. / 3.402 kg 0.4 lb. / 0.18 kg. 0.2 lb. / 0.1 kg

Global Warranty Coverage



Hamilton Beach Commercial stands behind its global platform of products worldwide. We understand that your foodservice equipment is a crucial element to the profitability of your business. If you ever have an issue, you need service that is quick, convenient and dependable.

FOR OUR U.S. CUSTOMERS:



For qualifying products, please follow this easy 3 step process:

- 1. Dial 1-866-285-1087 to speak to a member of our highly trained technical services staff (M-F 8am-5pm EST). We will make an initial phone diagnosis.
- 2. If it is determined that minimal on-site maintenance cannot be performed. Hamilton Beach Commercial will ship a replacement product to your location.
- 3. Once the replacement unit is received, you send the troubled unit back to Hamilton Beach Commercial (we will provide the box and supporting materials to return the unit and we pay the freight cost for the returned unit).

For all other products, please call 1-866-285-1087 to receive assistance on your parts and labor warranty.

Note: Limitations and exclusions apply. See operation manual for complete details. Express Care is only available to end users located in the continental US. Alaska and Hawaii.

FOR OUR GLOBAL CUSTOMERS:



Hamilton Beach Commercial has a network of highly trained service companies in over 60 countries worldwide.

We provide 24/7/365 support via our dedicated technical services website which includes:

- detailed troubleshooting and repair instructions
- · exploded view drawings
- recommended parts lists
- registered service centers by country
- operation manuals and agency certifications

Our technical services team, based in North Carolina USA, offers a variety of training options, including web based training.

Please visit us at:

commercial.hamiltonbeach.com to find your country service provider, or contact us directly at ++1 910 693 4277 or commercial.support@hamiltonbeach.com.

notes:



notes:





