



810668

810613

810651



Two castors have brakes



Equipped simple locking system



CLEARING TROLLEY - 7 X GN 1/1

- Designed to fit GN 1/1 Trays/containers
- With working surface
- Tray locks on either side
- Fitted with four castors of which two have brakes
- Flatpack delivery

MOBILE TROLLEY - 15 X GN 1/1

- GN 1/1 with 15 layers - interspaced at 80mm
- Tray locks on either side
- Fitted with four castors of which two have brakes
- Flatpack delivery

MOBILE TROLLEY 15 - 600X400

- 600x400 mm 15 layers - interspaced at 80mm
- Tray locks on either side
- Fitted with four castors of which two have brakes
- Flatpack delivery


code	mm	work top (mm)	code	mm	code	mm
810668	380x550x(H)870	GN 1/1 - 530x325	810613	380x550x(H)1735	810651	460x630x(H)1735



USER ASSEMBLY

S.S.

STAINLESS STEEL



810002

810101

SERVING TROLLEY

- Made of stainless steel.
- Fitted with 2 shelves and sound insulation material underneath.
- Maximum load per tray 75 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between trays 550 mm.
- Flatpack delivery.

code	mm	work top (mm)
810002	900x590x(H)930	830x510

SERVING TROLLEY

- Made of stainless steel
- Fitted with 3 shelves and sound insulation material underneath
- Maximum load per tray 75 kg
- Includes 4 castors, of which 2 with brakes, fitted with corner protection
- Distance between trays 295 mm
- Flatpack delivery

code	mm	work top (mm)
810101	900x590x(H)930	830x510



USER ASSEMBLY

PP

POLYPROPYLENE


SERVING TROLLEY POLYPROPYLENE

- Made of polypropylene
- Fitted with 3 shelves
- Maximum load per tray 50 kg
- Includes 4 castors, of which 2 with brakes, fitted with corner protection
- Distance between trays 340 mm

code	mm	work top (mm)
810200	800x410x(H)950	615x400



810200



812204

STORAGE RACK WITH 5 SHELVES

- Maximum load per shelf 80 kg
- Fitted with adjustable feet
- Chrome-plated iron

code	mm
812204	455x910x(H)1830



STORAGE RACKS

- Anodized aluminium frame.
- With dishwasher safe polypropylene shelves.
- Easily expandable.
- Carrying capacity 150 kg, distributed across the surface.



812273

ALUMINIUM STORAGE RACK

code	mm
812273	1280x405x(H)1685
812280	connecting hook

THERMO CATERING CONTAINER GN 1/1

- Made of LLDPE (Linear Low-Density Polyethylene).
- Double-walled, offers high insulation levels.
- Space between the walls is filled with special insulating material.
- Lid closes with 4 latches.



code	mm ext.	mm int.
707708	450x650x(H)300	GN 1/1 x (H)210






THERMO CATERING CONTAINER

- Double-walled insulated polyethylene LDPE - impact resistant hard polyethylene
- Keeps hot and cold
- With 2 sturdy carrying handles and suitable for 1/1 Gastronorm trays
- Gastronorm tray 10 mm deep: 12 pieces
- Gastronorm tray 65 mm deep: 6 pieces
- Gastronorm tray 100 mm deep: 4 pieces
- Gastronorm tray 150 mm deep: 2 pieces plus 1 Gastronorm tray 100 mm deep
- Gastronorm tray 200 mm deep: 2 pieces

code		mm ext.
707609	Gastronorm 1/1	670x470x(H)670
707807	Trolley for thermo container 707609	725x530x(H)190

707609








THERMO CATERING BOX

- Ultra-lightweight, durable container with perfectly sealable opening.
- Suitable for Gastronorm 1/1 containers.
- With 8 grooves spaced 61 mm apart to slide-in GN containers.
- The high stacking ledges with locking profile ensures stable stacking without sliding.

code	-	liter	mm ext.	mm int.
707999	Gastronorm 1/1	100	635x465x(H)660	550x335x(H)545



707999





THERMOBOX KITCHEN LINE

- Perfect for transport of hot or cold products.
- The shaped foam polypropylene (EPP) containers offer high insulation levels.
- Withstands temperatures ranging from -20°C to +110°C.
- With recessed handles at the side.

code	liter	mm ext.	mm int.	
707975	21	410x410x(H)240	350x350x(H)175	Pizza
707906	40	600x400x(H)285	538x338x(H)234	Gastronorm 1/1
707968	46	600x400x(H)320	538x338x(H)257	Gastronorm 1/1
707951	53	685x485x(H)260	625x425x(H)200	
707944	80	685x485x(H)360	625x425x(H)300	





707982



THERMOBOX PROFI LINE

- Perfect for transport of hot or cold products.
- The special heat-sealed inner lining provides reinforcement, facilitates easy cleaning and substantially improves the useful life.
- The thermobox is suitable for containers sizes up to Gastronorm 1/1.
- Expanded polypropylene (EPP) boxes have a sealed structure which provides exceptional insulation, up to 50% better than other Hendi thermoboxes.
- Temperature resistant from -20°C up to 110°C
- Practical integrated handles allow for comfortable carrying.
- The thermoboxes are stackable both with and without lids.



code	liter	mm ext.	mm int.	-
707982	39	674x400x(H)287	538x338x(H)217	Gastronorm 1/1



18/8
STAINLESS STEEL



710203



INSULATED PORTABLE CONTAINER

- Space between the walls is filled with special insulating material which keeps hot or cold temperature of food for up to 6-8 hours
- Double lid secured with a seal and equipped with 6 latches
- Air valve
- Two handles for transport
- Flexible material protects the container and the floor against damage
- Stackable

code	liter	mm ext.
710104	10	ø320x(H)200
710203	20	ø320x(H)310
710302	35	ø320x(H)550



1



2



4



3

Top and bottom shelf are reinforced



WORK TABLE

- Height-adjustable legs.
- Both top and bottom shelf reinforced.
- Robust construction.

code	mm
810705	1000x700x(H)850
810712	1200x700x(H)850
810729	1400x700x(H)850
810736	1600x700x(H)850
810743	1800x700x(H)850

DOUBLE ADJUSTABLE WALL SHELF

- Two levels.
- With backslash for maintaining hygiene.
- 1800 mm wide shelf supplied with 3 reinforced brackets.
- Removable for cleaning.

code	mm
970232	1000x355x(H)600
970249	1200x355x(H)600
970256	1400x355x(H)600
970270	1800x355x(H)600

